







Intersurgical Ltd, Crane House, Molly Millars Lane, Wokingham, Berkshire, RG41 2RZ, UK T: +44 (0)118 965 6300 F: +44 (0)118 965 6356 info@intersurgical.com www.intersurgical.com

# SDS Hazard Communication Safety Data Sheet according to Regulation (EC) No. 1272/2008 [CLP]

#### Jerican LoFloSorb Green to Violet

SDS Ref LoFloSorb Jericans 12 September 2019

Issue 12th September 2019

# 1. Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Trade name/designation LoFloSorb Carbon Dioxide absorbent Green to Violet Colour

change

Product Code numbers 2178000, 2178030

Substance name Carbon Dioxide absorbent with indicator Appearance Jerican containing Green solid granules.

Absorbent CAS No. not available REACH registration No. Not applicable.

1.2 Relevant identified uses of the substance or mixture and uses advised against

For medical, veterinary or laboratory use to remove carbon dioxide from gas streams.

1.3 Details of the supplier of the safety data sheet

Intersurgical Ltd.
Crane House,
Molly Millars Lane,
Wokingham,
Berkshire,
RG41 2RZ
United Kingdom
Tel 0044 (0)1189 656300
Fax 0044 (0)1189 656356
Email info@intersurgical.co.uk
Web: www.intersurgical.com

1.4 Emergency telephone Tel 0044 (0)1189 656300







2 Hazards identification of granules

EYE CONTACT: can cause serious and permanent eye injury.

SKIN CONTACT: causes burns, that can be deep and poor in healing. INGESTION: causes serious burns in the stomach and perforation.

INHALATION: causes burns in the lungs and respiratory tract, that can be delayed. Can

cause lung damage.

- 2.1 Classification of the substance or mixture
- 2.1.1 Classification according to Regulation (EC) No. 1272/2008 [CLP]

Hazard classes and hazard categories	Hazard statements
Causes skin irritation.	H315
Causes serious eye damage.	H318

2.1.2 Classification according to Directive 67/548/EEC or 1999/45/EC

Hazard symbols	R Phrases
R41	Risk of serious damage to eyes
R 36/37/38	Irritating to eye, respiratory system and skin.

#### 2.2 Label elements

## 2.2.1 Labeling according to Regulation (EC) No. 1272/2008 [CLP] Hazard pictogram(s)



Signal word: Warning

Class: Irritant Hazard statements

Causes skin irritation.	H315
Causes serious eye damage.	H318

Precautionary statements

P280	Wear protective gloves/protective clothing/eye protection/face protection.
P302/P352	IF ON SKIN: Wash with plenty of soap and water.
P305/351/338.	IF IN EYES: Rinse cautiously with water for several minutes.
	Remove contact lenses, if present and easy to do. Continue rinsing.







P332/313:	If skin irritation occurs: Get medical advice/attention
-----------	---

2.2.2 Labeling (67/548/EEC or 1999/45/EC)

#### Hazard symbols



#### R phrases

R41	Risk of serious damage to eyes
R 36/37/38	Irritating to eye, respiratory system and skin.

#### S phrases

O prinases	
S26	In case of contact with eyes, rinse immediately with plenty of
	water and seek medical attention.
S2	Keep out of reach of children.
S26	Wear suitable gloves and eye/face protection.
S37/39	
S45	In case of accident or if you feel unwell seek medical advice
	immediately and show label where possible.

#### 2.3 Other hazards

None

2.4 Hazards identification of canister body and base/lids Summary of most important information on hazards.

Specific danger/hazard

None

**Composition/Information on ingredients of granules** 3.

Ingredient	CAS No	EINECS/ELINCS	Content (% weight)
Calcium Hydroxide	1305-62-0	215-137-3	75 – 80 %
Silica	112926-00- 8	231-545-4	6 - 7 %
Ethyl Violet	2390-59-2	219-231-5	Under 0.1 %
Pigment Green	1328-53-6 5102-83-0	215-524-7 228-787-8	







Classification according to Regulation (EC) No. 1272/2008 [CLP]

This mixture is classified as not hazardous according to regulation (EC) 1272/2008 [CLP].

#### 3.1 Composition/ Information on ingredients of jerican

Ingredient	CAS No	Amount
Polyethylene	9002-88-4	< 100 %
Polyethylene	25213-02-9	< 100 % weight EXEMPT NA NA
Hexene		-
Copolymer		
Additives		< 4 % weight
Various		_

#### 4. First-aid measures

#### 4.1 General information

IF exposed: Immediately call a POISON CENTER or doctor/ physician. If unconscious place in recovery position and seek medical advice. Never give anything by mouth to an unconscious person or a person with cramps. Change contaminated clothing. Do not leave affected person unattended.

#### 4.2 After inhalation

Immediately call a POISON CENTER or doctor/ physician. Remove casualty to fresh air and keep warm and at rest. If breathing is irregular or stopped, administer artificial respiration.

#### 4.3 In case of skin contact

After contact with skin, wash immediately with plenty of water and soap. Remove contaminated clothing immediately. Immediate medical treatment is required because corrosive injuries that are not treated are hard to cure.

#### 4.4 After eye contact

In case of contact with eyes flush immediately with plenty of flowing water for 10 to 15 minutes holding eyelids apart. Do NOT allow victim to rub or keep eyes closed. Consult an ophthalmologist. Protect uninjured eye. Remove contact lenses, if present and easy to do. Continue rinsing.









4.5 After ingestion

Immediately call a POISON CENTER or doctor/ physician. Do not induce vomiting. Rinse mouth thoroughly with water. Give nothing to eat or drink.

#### 4.6 Self-protection of the first aider

Avoid inhalation and skin contact. Do not get into eyes and do not ingest. Wear protective gloves and goggles.

#### 4.7 Information to physician:

Symptoms No data available Hazards No data available Treatment No data available

### 5. Firefighting measures

#### 5.1 Suitable extinguishing media

The product itself does not burn and is not considered to be a fire hazard.

The product is not considered to be an explosive hazard.

Packaging may be combustible.

Co-ordinate fire-fighting measures to the fire surroundings.

#### 5.2 Extinguishing media which must not be used for safety reasons:

USE POWDER if possible.

Avoid water if possible. If water is the only extinguishing media available, do not get water inside containers. This may result in alkaline run off water.

DO NOT USE CARBON DIOXIDE

#### 5.3 Special hazards arising from the substance or mixture

Extreme exothermic reactions with pure / high concentrations of carbon dioxide.

Reacts aggressively with acids.

#### 5.4 Advice for firefighters

Keep away from acids and pure / high concentrations of carbon dioxide.

#### 5.5 Additional information

Do not allow any run-off from fire-fighting to enter drains or water courses.

#### 6. Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures Use personal protection equipment. Avoid generation of dust. Do not breathe dust. Provide adequate ventilation. Remove persons to safety.







6.2 Environmental precautions

Do not allow product to enter into surface water or drains.

6.3 Methods and material for containment and cleaning up

Avoid contact with skin or inhalation of spillage, dust or vapour. Wear necessary protective equipment. Small amounts can be picked up using moist disposable cloth. Shovel into suitable dry containers for disposal and cover. Flush the area with water. Avoid dust formation.

6.4 Additional information No data available

#### 7. Handling and storage

#### 7.1 Precautions for safe handling

Do not handle broken packages without protective equipment.

Avoid spilling,

Wash thoroughly after handling.

Use with adequate ventilation and dust extractor if necessary. Minimize dust generation and accumulation.

Do not get in eyes, on skin, or on clothing. Do not ingest or inhale.

#### 7.2 Conditions for safe storage, including any incompatibilities

Store in a tightly closed/sealed container.

Store in a cool, dry, well-ventilated area away from incompatible substances.

Do not store in direct sunlight.

Keep away from strong acids.

Store protected from moisture.

Store at temperatures ranging from -20°C to +50°C.

Do not allow to desiccate (dry out ).

Facilities storing or utilizing this material should be equipped with an eyewash facility.

Store in a safe place away from children and not together with or near food, animal feed.

#### 7.3 Specific end use(s)

No data available







SO 13495:2016 ISO 14

#### 8. Exposure controls / Personal protection.

#### 8.1 Appropriate engineering controls

Use process enclosures, local exhaust ventilation, or other engineering controls to keep airborne levels below recommended exposure limits. If user operations generate dust, fume or mist, use ventilation to keep exposure to airborne contaminants below the exposure limit.

#### 8.2 Personal protective equipment







### 8.2.1 Eye / face protection

Use approved safety goggles or face shield.

#### 8.2.2 Skin protection

Use protective gloves made of: Rubber or plastic.

#### 8.2.3 Protective clothing

Wear appropriate clothing to prevent reasonably probable skin contact

#### 8.2.4 Respiratory protection

Work in fume cupboard if possible

Wear respirator if there is dust formation. Dust filter P2 (for fine dust).

#### 8.4 Additional information

Wash hands before breaks and after work. Avoid contact with skin and eyes. When using do not eat, drink or smoke. Have eye shower equipment available.

#### 9. Physical and chemical properties

9.1 Information on basic physical and chemical properties of granules

(a) Appearance

Physical state Solid porous granules 3- 4 mm.

Colour No Green

(b) Odour Slight chemical smell

#### (c) Odour threshold No data available







Safety relevant basic data

• pH pH14

Melting point/freezing point
 Initial boiling point and boiling range
 Flash point
 Evaporation rate
 Flammability
 Not applicable
 Not applicable
 Not applicable

Vapour pressure
 Vapour density
 No data available
 No data available

The product is not considered to be an explosive hazard.

Solubility Slightly soluble in water.

Aqueous solutions are alkaline.

Auto-ignition temperature
 No data available

Decomposition temperature
 Thermal decomposition to

oxides at over 500 deg C

ViscosityExplosive propertiesNot applicable.

The product is not considered to be an explosive hazard.

Oxidising properties
 Not applicable

9.2 Other information

Bulk density 0.85 g/ml +/- 0.02.

9.1 Information on basic physical and chemical properties of jericans

Appearance and Odor: Opaque, translucent waxy pellets or fluff, mild odor.

Autoignition: 380°C (716°F)

**Boiling Point: NA** 

Density: 0.91 g/cm3 - 0.97 g/cm3

**Evaporation Rate: NA** 

Flammability (Explosive) Limits (% by volume in air): Lower: NA Upper: NA

Flashpoint: 340°C (644°F) Molecular Formula: Mixture Molecular Weight: NDA

Melting Point: 100°C (212°F) - 135°C (275°F) Octanol / Water Partition Coefficient: log-Kow: NDA

pH: NA

Pour Point: NDA

Solubility (in water): Negligible Specific Gravity: 0.91 - 1.02







Vapor Pressure: NA

Vapor Density (AIR=1): NA

Viscosity: NA

Percent Volatile: NDA

#### 10. Stability and reactivity

#### 10.1 Reactivity

Extreme exothermic reactions with pure / high concentrations of carbon dioxide.

Reacts aggressively with acids.

Variable reactivity with different acidic gases.

#### 10.2 Chemical stability

Chemically stable unless in contact with other substances.

#### 10.3 Possibility of hazardous reactions

Extreme exothermic reactions with pure / high concentrations of carbon dioxide.

Reacts aggressively with acids. Potentially toxic fumes can be produced with some acids.

10.4 Conditions to avoid

Avoid contact with acids.

Do not use with trichloroethylene and chloroform.

Avoid contact with pure / high concentration of Carbon Dioxide.

#### 10.5 Incompatible materials.

The product will corrode most metal and degrade condensation polymers.

#### 10.6 Hazardous decomposition products

Fire or high temperatures create can create harmful fumes of sodium oxide and calcium oxide.

Low level of Amines may be released from decomposition of Ethyl Violet.

#### 10.7 Additional information

No data available

#### 10.8 Information on Stability and reactivity of jericans

Directors S. K. Williams \* H. Bellm \* K. Jacob \* D. Williams \* M. Hinton \* C. Bellm \* S. Day

Chemical Stability: This material is considered stable under normal ambient and anticipated storage and handling

Conditions of temperature and pressure.

Conditions to Avoid: Not Applicable









Incompatibility With Other Materials: May react with strong oxidizing agents, such as chlorates, nitrates, peroxides, etc.

Hazardous Decomposition Products: Low molecular weight hydrocarbons, alcohols, aldehydes, acids and ketones can be formed during thermal processing. Hazardous Polymerization: Hazardous polymerization will not occur.

#### 11 Toxicity Information.

No toxicity data is available for finished mixture.

#### **Health warnings**

This chemical may cause skin/eye irritation and burns (corrosive). SYMPTOMS AFTER INHALATION. Coughing. Smarting in nose, throat and mouth. Severe smarting. Tearing eyes. Swollen eye lids. Corneal damage. SYMPTOMS AFTER INGESTION. Smarting in mouth and throat. Stomach pain. Diarrhoea.

#### Route of entry

Inhalation. Skin absorption. Ingestion.

#### **Target organs**

Eyes. Gastrointestinal tract. Respiratory system, lungs. Skin. Mucous membranes.

11.2 Available toxicity information of major component Calcium Hydroxide.

#### **Toxicity endpoints Outcome of the effects assessment**

Directors S. K. Williams \* H. Bellm \* K. Jacob \* D. Williams \* M. Hinton \* C. Bellm \* S. Day

Acute toxicity Calcium Hydroxide is not acutely toxic.

Oral LD50> 2000 mg/kg bw (OECD 425, rat)

Dermal LD50> 2500 mg/kg bw (OECD 402, rabbit)

Inhalation no data available

Classification for acute toxicity is not warranted.

#### Skin irritation/corrosion

A risk of serious damage to the eye

(eye irritation studies (*in vivo*, rabbit). Based on experimental results, calcium hydroxide requires classification as severely irritating to the eye (H318 -Causes serious eye damage). Skin irritation: Calcium hydroxide is irritating to skin (*in vivo*, rabbit). Based on experimental results, calcium hydroxide requires classification as irritating to skin (H315 – Causes skin irritation).

#### Respiratory or skin sensitization

No data available. Calcium hydroxide is considered not to be a skin sensitiser, based on the nature of the effect (pH shift) and the essential requirement of calcium for human nutrition. Classification for sensitization is not warranted.







D 13495:2016 ISO 14001

#### **Germ cell Mutagenicity**

Bacterial reverse mutation assay (Ames test, OECD 471): Negative Mammalian chromosome aberration test: Negative

In view of the omnipresence and essentiality of Ca and of the physiological non-relevance of any pH shift induced by lime in aqueous media, lime is obviously void of any genotoxic potential including germ cell mutagenicity. Classification for genotoxicity is not warranted.

### Carcinogenicity

Calcium (administered as Ca-lactate) is not carcinogenic (experimental result, rat).

The pH effect of calcium hydroxide does not give rise to a carcinogenic risk. Human epidemiological data support lack of any carcinogenic potential of calcium hydroxide.

Classification for carcinogenicity is not warranted.

#### **Toxicity for reproduction**

Calcium (administered as Ca-carbonate) is not toxic to reproduction (experimental result, mouse).

The pH effect does not give rise to a reproductive risk.

Human epidemiological data support lack of any potential for reproductive toxicity of calcium hydroxide.

Both in animal studies and human clinical studies on various calcium salts no reproductive or developmental effects were detected. Also see the Scientific Committee on Food (Section 16.6). Thus, calcium hydroxide is not toxic for reproduction and/or development.

Classification for reproductive toxicity according to regulation (EC) 1272/2008 is not required

#### STOT – single exposure

From human data it is concluded that Ca(OH)2 is irritating to the respiratory tract. As summarized and evaluated in the SCOEL recommendation (Anonymous, 2008), based on human data calcium hydroxide is classified as irritating to the respiratory system (H335

May cause respiratory irritation)].

11.3 Information on Toxicity Information of jericans

#### **IMMEDIATE HEALTH EFFECTS:**

Acute Oral Toxicity: Polyethylene: NOAEL / rat / > 7950 mg/kg

Directors S. K. Williams \* H. Bellm \* K. Jacob \* D. Williams \* M. Hinton \* C. Bellm \* S. Day

Acute Dermal Toxicity: LD50 / not known Acute Inhalation Toxicity: LD50 / not known

Eye Irritation: This material is not expected to be irritating to the eyes. Skin Irritation: This material is not expected to be irritating to the skin.







190 13495-2016

Sensitization: Dermal - not a sensitizer / human ADDITIONAL TOXICOLOGY INFORMATION: This product contains POLYMERIZED OLEFINS.

During thermal processing (>350°F, >177°C) polyolefins can release vapors and gases (aldehydes, ketones and organic acids) which are irritating to the mucous membranes of the eyes, mouth, throat, and lungs. Generally these irritant effects are all transitory. However, prolonged exposure to irritating off-gases can lead to pulmonary edema. Formaldehyde (an aldehyde) has been classified as a probable human carcinogen by NTP, IARC (2A), and OSHA based on animal data and limited epidemiological evidence.

The toxicological properties of this product have not been tested or have not been tested completely and its handling or use may be hazardous. EXERCISE DUE CARE. Long-term exposure to high dust concentrations may cause non-debilitating lung changes.

#### 12. **Ecological information**

#### 12.1 Ecotoxicity

#### Acute (short-term) fish toxicity

LC50: No data available

EC50 species:

Exposure time

#### Chronic (long-term) fish toxicity

LC50: No data available

EC50 species:

Exposure time

#### Acute (short-term) daphnia toxicity

LC50: No data available

EC50 species:

Exposure time

#### Chronic (long-term) daphnia toxicity

LC50: No data available

EC50

species:

Exposure time

#### Acute (short-term) algae toxicity

LC50: No data available

EC50 species:

Exposure time

#### Chronic (long-term) algae toxicity

Directors S. K. Williams \* H. Bellm \* K. Jacob \* D. Williams \* M. Hinton \* C. Bellm \* S. Day

LC50: No data available









EC50

species:

Exposure time

12.2 Persistence and degradability
12.3 Bioaccumulative potential
12.4 Mobility in soil
12.5 Results of PBT assessment
12.6 Other adverse effects

No data available
No data available
No data available

#### Summary:

**Ecotoxicity** Not regarded as dangerous for the environment. **Bioaccumulative potential** No bioaccumulation expected.

Acute fish toxicity Can cause acute death of fish and aquatic organisms.

12.7 Ecological information on jericans

#### **ECOTOXICITY:**

This material is not expected to be harmful to aquatic organisms. Fish or birds may eat pellets which may obstruct their digestive tracts.

**ENVIRONMENTAL FATE:** 

This material is not expected to be readily biodegradable.

#### 13. Disposal considerations

The following information is a guideline only. Disposal of waste LoFloSorb must be in accordance with local authority regulations, following a risk analysis by the user.

LoFloSorb does not contain any toxic materials and is not classified as a hazardous material.

The composition of waste LoFloSorb will depend upon the conditions of use, however, it will contain:

- Calcium Carbonate (varying major proportion)
- Calcium Hydroxide (varying sometimes major proportion)
- Silica (minor proportion)
- Water (varying major proportion)
- There will also be a trace of indicator dye.
- There may be residual traces of volatile anaesthetics.
- In the case of infectious patients, consideration should be given in line with handling of infectious clinical waste.

#### Waste class of LoFloSorb that has not been clinically used.

LoFloSorb, falls within the catagory of a Calcium Hydroxide lime and so may still contain slightly above 10 % H315, H318 waste (in this case calcium hydroxide). Untreated waste









Calcium Hydroxide limes have the waste property HP4 irritant and corrosive, even though they may sometimes fall below the scope for this classification.

Therefore, LoFloSorb that has not been clinically used, would require the European Waste Catalogue number 18 01 06\* ('Chemical consisting of or containing hazardous substances'), the same as standard soda lime's.

Waste class of LoFloSorb that has been <u>clinically used</u> within anaesthesia systems After clinical use of LoFloSorb during anaesthesia, as with any calcium hydroxide lime, consideration should be given to the consequence of its clinical use, especially with an infectious patient (which will not always be known).

Whilst breathing filters are in use to limit potential cross contamination between patients and anaesthetic breathing systems, the instructions for use of anaesthetic machines sometimes advise that re-usable absorbers, if used with infectious patients, should be autoclaved per patient, even when filters are used at the Y piece or on the machine inspiratory and expiratory ports. Furthermore, used soda lime, even when remaining significantly alkaline, cannot be guaranteed to present an antibacterial environment.

#### Disposal.

Considering the above, Intersurgical advise that following <u>clinical use</u> of LoFloSorb during anaesthesia, the user conducts a risk assessment to assess whether the it also required the further classification under the European Waste Catalogue number 18 01 04 ('wastes whose collection and disposal is not subject to special requirements in order to prevent infection'), but also with the potential for 18 01 03\* (waste whose collection and disposal is subject to special requirements in order to prevent infection).

Following this, that clinically used LoFloSorb is treated at source with minimal handling; this being treated at source by incineration within a mixture of other clinical waste. In this way, any H314 and H318 substances will be further dispersed within the other ash material.

#### 14. Transport Information

Not regulated: There are no restriction for transport by, road, rail or air.

Directors S. K. Williams \* H. Bellm \* K. Jacob \* D. Williams \* M. Hinton \* C. Bellm \* S. Day

14.1 United nations number (ADR)	Exempt under special provision 62
14.2 Proper shipping name (ADR)	Exempt under special provision 62
14.3 Transport class/s (ADR)	Exempt under special provision 62
14.4 Packing group (ADR)	Exempt under special provision 62
14.5 Hazard No (ADR): 80:	Exempt under special provision 62
14.6 Environmental hazards (ADR)	Exempt under special provision 62
14.7 Special procedures (ADR)	Exempt under special provision 62.

14.8 This substance contains less than 4 % sodium hydroxide and is not subject to the requirements of ADR under special provision 62







14.9 This substance contains less than 4 % sodium hydroxide and is not subject to IATA under special provision A16:

#### 15. Regulatory Information.

15.1 Safety, health and environmental regulations.

The product is classified in accordance with EC regulation 1272/2008 (CLP). Other regulatory information is not applicable to this product.

15.2 Chemical Safety Assessment: Not applicable

#### 16. Other information

This safety data sheet has been revised in accordance to EC regulation 1272/2008 (CLP), by Intersurgical, to the best of its knowledge.

#### 16.1 Source of data:

Guidance on Labeling and Packaging under the CLP regulation 2011 CLP-an introduction to the new regulations, REACH READY 15/2/2011 Globally Harmonized System of Classification, Chapter 2 European Waste Catalogue (2001/118/EC as amended), Safety data sheets of ras materials and packaging. Other supplier safety data sheets.

#### 16.2 Hazards identification

Hazard statements and Precautionary statements are given in section 2.

EYE CONTACT: can cause serious and permanent eye injury.

SKIN CONTACT: causes burns that can be deep and poor in healing. INGESTION: causes serious burns in the stomach and perforation.

INHALATION: causes burns in the lungs and respiratory tract that can be delayed. Can cause lung damage.

cauco larig darriago.

#### Classification according to Directive 67/548/EEC or 1999/45/EC

Hazard classes and hazard categories	Hazard statements
Causes skin irritation.	H315
Causes serious eye damage.	H318

Labeling according to Regulation (EC) No. 1272/2008 [CLP]









Signal word: Warning

Class: Irritant

Precautionary statements

P280	Wear protective gloves/protective clothing/eye protection/face
	protection.
P302/P352	IF ON SKIN: Wash with plenty of soap and water.
P305/351/338.	IF IN EYES: Rinse cautiously with water for several minutes.
	Remove contact lenses, if present and easy to do. Continue
	rinsing.
P332/313:	If skin irritation occurs: Get medical advice/attention

Issue 12th September 2019

Contact: Mike Holder.

Tel: Quality and specialist information 0044(0)1189656361

e-mail 'mhol@intersurgical.co.uk' or general 'info@intersurgical.co.uk'